

# IDEAL 2270

max.  
**13**  
sheets

**Deskside document shredder with a second shredding head for CDs/DVDs and two separate shred bins for easy waste separation.**

← **22 cm** →

**Level P-2** 4 mm strip cut

Sheet capacity\*: 11-13 | 9-11

**Level P-4** 3 x 25 mm particle cut

Sheet capacity\*: 6-7 | 5-6

**Level P-5** 2 x 15 mm particle cut

Sheet capacity\*: 4-5 | 3-4




\* A4 paper 70 g/m<sup>2</sup> | 80 g/m<sup>2</sup>

## Technical specifications

<b>Volume</b>	20 litres (bin for paper) 3 litres (bin for CDs/DVDs)
<b>Power</b>	230 V / 50 Hz**
<b>Motor capacity</b>	150 Watt single phase motor

\*\* other voltages available



<b>Dimensions</b>	537 x 345 x 220 mm (H x W x D)
<b>Weight</b>	12.5 kg / 13.0 kg (particle cut)
<b>ID-No.</b>	11227001

**GS certificate-No. DP 10031**

## Product characteristics

Two separate feed openings with separate shredding heads for paper and for CDs/DVDs. Two integrated shred containers for easy waste separation. Photo cell controlled automatic start and stop. Multifunction switch for stand-by / stop (off) / reverse. Pilot light. Transparent safety flap in the feed opening for paper as additional safety element. High-quality, paper clip proof cutting shafts from special hardened steel with lifetime guarantee. Quiet, powerful and energy-efficient single phase motor. Double motor protection. Fully closed gear box housing and durable gears. High-quality wooden cabinet. Removable bin for paper shreds made from impact-resistant plastic with large window showing fill level. Separate bin for CDs/DVDs or credit cards. Magnetic proximity switch for automatic stop if the shred bins are removed from the cabinet (cross cut).

# IDEAL

[WWW.IDEAL.DE](http://WWW.IDEAL.DE)

# IDEAL 2270

## Features



### SOLID STEEL CUTTING SHAFTS

Robust and durable: high-quality paper clip proof cutting shafts with lifetime guarantee under conditions of fair wear and tear.



### SAFETY FLAP

The safety flap in the feed opening is an additional safety element to keep fingers, ties or other objects away from the cutting shafts.




### SECOND CUTTING HEAD

Separate feeding slot for the disposal of CDs and DVDs with a second cutting head. Photo cell for automatic start and stop.



### MULTIFUNCTION SWITCH

Easy operation is guaranteed with the three-position rocker switch for stand-by / stop (off) / reverse.



### REMOVABLE SHRED BIN

With large window showing fill level. Second bin for CD/DVD shreds for easy waste separation.



# IDEAL

certificate  
no. **DP 15043**  
dated 2015-03-25

Translation In any case, the German original shall prevail.

## GS Certificate

Name and address of the holder of the certificate: (customer) **Krug & Priester GmbH & Co. KG**  
**Simon-Schweitzer-Straße 34**  
**72336 Balingen**

Product designation: **file shredder**

Type: 11221002, 11223002, 11224501, 11227001

Testing based on: DIN EN 60950-1:2014 Information Technology Equipment – Safety – Part 1: General requirements  
EN 60950-1:2006+A11:2009+A1:2010+A12:2011 Information Technology Equipment – Safety – Part 1: General requirements  
IEC 60950-1:2005+AMD1:2009+AMD 2:2013 Information Technology Equipment – Safety – Part 1: General requirements  
EN 1010-1:2004+A1:2010 Safety of machinery – Safety requirements for the design and construction of printing and paper converting machines; Part 1: common requirements

Test report: 612.17 - So/Ho  
A 14198  
Produktgruppe: 001.1001

Further details:

The type tested meets the requirements specified in article 21 para. 1 of the German Product Safety Act. The holder of the certificate is entitled to affix the GS mark shown overleaf to the products complying with the type tested. At that, the holder of the certificate shall observe the conditions specified overleaf.

The present certificate including the right to affix the GS mark is valid until: **2020-03-24**

Further provisions concerning the validity, the extension of the validity and other conditions are laid down in the Rules of Procedure for Testing and Certification.



Dipl.-Ing. Andreas Vogl